

CLX-6260ND / 6260FR / 6260FW

Colour Laser Multi-Function Printer

For every business



SAMSUNG

Fast and Economical colour printing

Businesses today need to know that they can produce a high level of printing quickly, and in a cost-effective way. The CLX-6260ND / 6260FR / 6260FW not only delivers brilliant colour quality, but can scan, copy and fax for extra convenience. Plus, a fast Dual CPU, gigabit network support and instant fusing technology ensures enhanced speed and less waiting time.

Yet what sets it apart economically is the range of cost-effective and innovative features, such as high yield toner, low energy consumption and Eco-friendly settings. It makes this medium workgroup printer as cost conscious as they come.

A fast Dual CPU, impressive memory and instant fusing technology brings you incredible output speeds and increased levels of productivity.

High yield toner cartridges that need less replacement, reduced energy consumption and low cost per page make the CLX-6260ND / 6260FR / 6260FW a truly economical solution.

Second Cassette Feeder
• 520 sheet capacity



With its 4.3" colour touchscreen and smart software support tools operating the device is easy. A product concept that helps you spend more time on your job. (CLX-6260FW only)



Direct USB Port

Easy hardware operation and smart software tools that help you manage your printer and documents more efficiently. Features include confidential printing and standard wired (CLX-6260ND/6260FR) and wireless (CLX-6260FW) network connectivity.



High printing performance

Whatever the size of your print job, the CLX-6260ND / 6260FR / 6260FW will shine with an impressive 17 seconds First Print Out Time, and a speedy 24 pages per minute after that. This means you can focus on what's important rather than wait for your prints.

More power, higher productivity

Some days it seems like the printing never ends. With the CLX-6260ND / 6260FR / 6260FW's 533 MHz Dual CPU, and 512MB standard memory (expandable up to 1GB) you can be sure that this printer will handle the entire load of your workgroup's need.



Faster with instant fusing

With instant fusing technology, your device can start printing documents with no delay. The result is a 17 second First Print Out Time, even from sleep mode. And because it doesn't need to warm up completely first, less energy is required for fusing. That saves money and the environment.

Fast data transmission and simple integration

Enhanced Gigabit Ethernet technology lets you enjoy faster transmission of print data over your network. And with built-in emulation for PCL6/5e, PostScript3, and PDF the CLX-6260ND / 6260FR / 6260FW adapts to businesses with a wide range of software and network requirements.

Flexible paper handling

If you want to print or copy onto heavier weights of paper, you can. Weights of up to 220g/m² are handled with ease through the 50 page multipurpose tray as well as the 250 page standard cassette. Plus, with the optional 520 sheet second cassette you can increase your total paper input capacity to 820 sheets. That way you can also use up to three different media types without the need to waste time changing paper.

You can enhance your productivity further still with the 50 page document feeder that can process single as well as double sided documents automatically.



Anti-jam roller

Samsung's unique anti-jam friction roller minimizes the risk of mis-feeds and paper jams. It allows handling of heavier paperweights, including card, up to 220g/m² from the standard cassette tray.

Boost your output with Samsung's latest print processing.




Now every workgroup can enjoy true colour output

Whatever size your team, and however busy you are, you can rely on the CLX-6260ND / 6260FR / 6260FW to constantly deliver professional, quality colour output.

Enjoy quality printouts

Samsung's unique ReCP (Rendering Engine for Clean Page) Technology and Up to 9600x600 dpi effective output improve the overall quality and vibrancy of your colour printing, ensuring every printout looks perfect. It automatically sharpens the focus of both graphics and text, while solid objects are overlapped to eliminate white gaps.



ReCP Technology for cleaner edges, sharper images and texts



Polymerized toner

Our newly developed polymerized toner has smaller and more uniform particles than conventional toner. Your printouts will have crisper lines and more vivid colours, in addition to eliminating paper curling. Also, its higher wax content improves the image gloss and enhances the durability preventing unwanted fading.



See the extra detail from pin-sharp images

Don't compromise your print quality. The CLX-6260ND / 6260FR / 6260FW has 600 x 600 dpi at its disposal, which can be further enhanced to an impressive 9,600 x 600 dpi by varying the size and position of the dot itself. Ideal for giving print-outs every bit of detail.



Low cost, low impact on the world

Save toner, paper and energy with ease - it's good for the environment and it's good for your business' profits. Being economical and printing vibrant colour documents goes hand in hand with the CLX-6260ND / 6260FR / 6260FW.

Extra high yield means extra low costs


Enjoy professional colour print-outs while staying in complete control of your total cost of ownership. Our specially developed higher yield cartridges means more time between changes and less expense with each print out. (Black toner cartridges yield: 6,000 standard pages, Yellow/Magenta/Cyan toner cartridges yield: 3,500 standard pages)

Cut costs with duplex printing and copying

With the integrated duplex feature, saving paper has never been easier. That's because the paper is turned automatically so that you can print on both sides. It could mean an amazing saving of up to 50% on your paper consumption.



Save up to 50% of your paper consumption with the auto double-sided printing




Save money the Eco way

Every business sees the need to cut costs wherever it can. With the one-touch Eco button and the smart Eco Driver it's easier than ever. Print more on each page with the N-up and duplex functionality, change to toner save mode, skip blank pages or print in grey scale instead of full colour. With the result simulator you can even see how much CO₂, power and paper you've saved.



Low power consumption

Despite its impressive list of features and functions, the CLX-6260ND / 6260FR / 6260FW consumes less energy than most of other models. Its innovative polymerized toner requires lower fusing temperatures, the instant fusing technology saves warm up time before first print, and our new Dual CPU make it one of the greenest devices around today.



Professional colour printing made easy for you

With the CLX-6260ND / 6260FR / 6260FW you can increase your entire workgroup's workflow with a range of easy-to-use features and ingenious time-saving software that helps you work smarter and faster.

Easy operating panel

With a simple-to-use 4.3" colour touchscreen, it's never been easier to check the status of your print jobs – and access all the time-saving, money-saving features in comfort.



Convenient USB printing

With the Direct USB slot located on the front of the device just below the operating panel, you can print from, or scan to, a USB key right from the device, without the need of a computer.

Easy toner replacement

Toner changes are made easier with a top loading slide out drawer. And with high yield all-in-one toner cartridges, you save not only time but money.

Wireless connectivity made simple (CLX-6260FW only)

Just one touch of the WiFi Protected Setup (WPS) button and your CLX-6260FW will connect quickly and securely to your wireless network.

Easy mobile printing

With the Samsung Mobile Print App, you can print your documents, pictures, and presentations directly from your Android, iOS, or Windows Phone 7 mobile devices with ease. (For CLX-6260ND/6260FR, it needs to be connected to wireless AP or router for mobile printing.)

Secure, confidential printing

If you need to print sensitive data through your printer, you can relax. You can now ensure personal print jobs remain personal. Just enter a password, and you can retrieve a print job at your convenience, away from any prying eyes. And with the integrated numeric key pad it's easier than ever!



Make life simple with Easy Document Creator

This useful application is to help users scan, compile, and save documents in multiple formats, including .epub. These documents can then be shared via social networking sites or fax. Ideal if you're sharing notes from an important meeting.

Get the right result before printing

The Samsung Easy Colour Manager allows you to adjust the colour balance, saturation, brightness or contrast of any image prior to printing. Perfect for matching the exact colours of your company logo every time.

Take the stress out of print management

For maximum control, Easy Printer Manager lets you manage all your devices from one location. Check device and toner status, re-order toner, change device settings or set alerts – even through e-mail.

Secure sensitive documents with the easy to use confidential printing feature

Specifications

Model Code	Samsung CLX-6260ND	Samsung CLX-6260FR	Samsung CLX-6260FW
Print			
Speed (Mono / Color)	Up to 24 ppm in A4 (25 ppm in Letter)		
First Print Out Time (Mono / Color)	As fast as 17/17sec (from ready & sleep)		
Resolution	Up to 9,600 x 600 dpi Effective Output (600 x 600 x 4bit)		
Emulation	PCL5Ce / PCL6C / PS3 / PDF V1.7 / SPL-C (Samsung Printer Language Color)		
Duplex	Built-in		
Copy			
Speed	Up to 24 cpm in A4 (25 cpm in Letter)		
First Copy Out Time (Mono / Color)	Less than 17 sec		
Resolution	Up to 600 x 600 dpi (Optical) / Up to 1,200 x 1,200 dpi (Enhanced)		
Zoom Rate	25 - 400 %		
Multi Copy	1 - 999 Pages		
Duplex Copy	N/A	Built-in	
Copy Features	ID Copy, N-UP Copy, Book Copy, Watermark Copy, Collated Copy		
Scan			
Compatibility	Twain Standard / WIA Standard		
Method	COLOR CIS		
Resolution	Up to 1,200 x 1,200 dpi (Optical) / Up to 4,800 x 4,800 dpi (Enhanced)		
Scan to	USB / Email / SMB / FTP / PC / WSD		
FAX			
Compatibility	N/A	ITU-T G3	
Modem Speed	N/A	33.6 Kbps	
Resolution	N/A	Up to 300 x 300 dpi	
Memory	N/A	6 MB	
Fax Feature	N/A	Mult-Send / Delayed Send / Secure Receive / Fax Forwarding	
Paper Handling			
Capacity and Types (Input / Output)	250-sheet Standard Cassette Tray (Max 820 Sheets) (Input) / 150-sheet Face Down (Output)		
Media Size	A4 / Letter / Legal / Oficio / Folio / JIS B5 / ISO B5 / Executive / A5 / Statement / A6 / Index Card Stock / Postcard / Envelope Monarch / Envelope No-10 / Envelope DL / Envelope C5 / Envelope C6 / Envelope No 9 / Custom [76 x 127mm (3.0" x 5.0") - 216 x 356mm (8.5" x 14")]		
Media Type	Plain Paper / Thin Paper / Thick Paper / Cardstock / Thicker Paper / Hole Punched / Transparency / Pre-Printed / Letterhead / Recycled / Archive / Bond / Label / Envelope / Cotton / Colored / Glossy		
Capacity (ADF / Envelope)	50 sheet (ADF) / 20 sheet (Envelope)	50 sheet (DADF) / 20 sheet (Envelope)	50 sheet (DADF) / 20 sheet (Envelope)
ADF Document Size	142 x 148 mm (5.6 x 5.8") - 216 x 356 mm (8.5 x 14")		
General			
Processor	Dual CPU (Main : ARM11 533MHz / Sub : ARM9 150MHz)		
Display	4-Line LCD	4-Line LCD	4.3" LCD
Interface	High-Speed USB 2.0, Ethernet 10/100/1000 Base-TX		
Noise Level	Less than 52 dBA (Printing) / Less than 54 dBA (Copying) / Less than 32 dBA (Standby)		
Memory / Storage	512 MB (Max 1024 MB)		512 MB (Max 1024 MB) / SD Card
OS Compatibility	Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux / Unix		
Monthly Duty Cycle	60,000 Images		
Dimension (W x D x H)	420 x 452.5 x 476.8 mm (16.5" x 17.8" x 18.8")	469 x 452.5 x 504.3 mm (18.5" x 17.8" x 19.9")	
Weight	24.8 kg (54.68 lbs)	26.7 kg (58.86 lbs)	
Power Consumption	450 W (Average) / 16 W (Standby) / 1 W (Sleep Mode)		450 W (Average) / 18 W (Standby) / 2.4 W (Sleep Mode)
Consumables			
Black Toner Cartridge	Standard Toner Cartridge Yield: 2,000 Standard Pages (CLT-K506S/ELS) (Ships with 2,000 Pages Starter Toner Cartridge), High Toner Cartridge Yield: 6,000 Standard Pages (CLT-K506L/ELS) *Declared Yield Value in accordance with ISO/IEC 19798		
Yellow/Magenta/Cyan Toner Cartridge	Standard Toner Cartridge Yield: 1,500 Standard Pages (Ships with 1,500 Pages Starter Toner Cartridge), Cyan Toner (CLT-C506S/ELS), Magenta Toner (CLT-M506S/ELS), Yellow Toner (CLT-Y506S/ELS), High Toner Cartridge Yield: 3,500 Standard Pages, Cyan Toner (CLT-C506L/ELS), Magenta Toner (CLT-M506L/ELS), Yellow Toner (CLT-Y506L/ELS) *Declared Yield Value in accordance with ISO/IEC 19798*		
Transfer Belt	Approx. 100,000 Pages		
Waste Toner Container	Approx. 14,000 Pages (Mono), 3,500 Pages (Colour) (CLT-W506/SEE)		
Option			
Options	520-sheet Cassette (CLP-S680A/SEE) / IEEE 1284 Parallel Connector (ML-PAR100/SEE) / 1 GB Memory upgrade (MLMEM380/SEE)		

Specifications



Model Code	Samsung CLX-6260ND	Samsung CLX-6260FR	Samsung CLX-6260FW
Function			
MFP	Print, Copy & Scan	Print, Copy, Scan & Fax	Print, Copy, Scan & Fax
Duplex Copy	N/A	Built-in	Built-in
Capacity (ADF/Envelope)	50 sheet (ADF) / 20 sheet (Envelope)	50 sheet (DADF) / 20 sheet (Envelope)	50 sheet (DADF) / 20 sheet (Envelope)
General			
Display	4-Line LCD	4-Line LCD	4.3" LCD Touch Screen
Wireless Network	N/A	N/A	IEEE 802. b/g/n Wireless Network
Storage	N/A	N/A	SD Card
Power Consumption	450 W (Average) / 16 W (Standby) / 1 W (Sleep Mode)	450 W (Average) / 16 W (Standby) / 1 W (Sleep Mode)	450 W (Average) / 18 W (Standby) / 2.4 W (Sleep Mode)
Dimension (W x D x H)	420 x 452.5 x 476.8 mm (16.5" x 17.8" x 18.8")	469 x 452.5 x 504.3 mm (18.5" x 17.8" x 19.9")	

About Samsung Electronics

Samsung Electronics Co., Ltd. is a global leader in semiconductor, telecommunication, digital media, and digital convergence technologies.

Samsung Electronics produces TVs, memory chips, mobile phones, displays, PCs, and home appliances. Employing over 150,000 people in 134 offices across 62 countries, Samsung Electronics businesses include Digital Media, LCD, Semiconductors, Telecommunications, and Digital Appliances.



Copyright © 2012 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered mark of Samsung Electronics Co. Ltd. Specification and design are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names, and logos are trademarks and/or registered trademarks of their respective owners, and are hereby recognized and acknowledged.

Contact :
Web: www.samsung.com

